

	Type	L #	Hits	Search Text	DBs
10	BRS	L10	229	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and (((polarization or polarisation) near2 (adjust or adjusted or adjusting or adjustable or adjusts or alter or altering or altered or alters or controllable or controlling or control or controlled or controls or tune or tunable or tunes or tuned or tuning)) with (rotate or rotating or rotates or rotated or rotation))	USPAT
11	BRS	L11	83	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and (((polarization or polarisation) near2 (adjust or adjusted or adjusting or adjustable or adjusts or alter or altering or altered or alters or controllable or controlling or control or controlled or controls or tune or tunable or tunes or tuned or tuning)) with (rotate or rotating or rotates or rotated or rotation))	US-PGPUB
12	BRS	L12	35	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and (((polarization or polarisation) near2 (adjust or adjusted or adjusting or adjustable or adjusts or alter or altering or altered or alters or controllable or controlling or control or controlled or controls or tune or tunable or tunes or tuned or tuning)) with (rotate or rotating or rotates or rotated or rotation))	EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	3	carrier and(mounting adj structure) and (optical adj semiconductor adj device)	USPAT
14	IS&R	L14	1397	(385/14).CCLS.	USPAT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
10	2003/06/23 09:39			0
11	2003/06/23 09:39			0
12	2003/06/23 09:39			0
13	2003/06/23 10:07			0
14	2003/06/23 10:08			0

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	2728	(polarization) same rotator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	224	(polarization) same reflector same rotator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	62	(polarization) near5 reflector near5 rotator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	0	(polarization adj dependent adj reflector)near5 rotator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	IS&R	L5	7409	((385/11) or (385/16) or (385/18) or (385/24) or (385/31) or (385/33) or (385/34) or (385/35) or (385/36) or (385/47) or (385/115) or (385/122) or (385/127) or (385/128) or (385/129) or (385/131)).CCLS.	USPAT
6	BRS	L6	209	5 and @pd>20030410	USPAT
7	BRS	L7	963	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((polarization or polarisation) near2 (reflect or reflecting or reflected or reflects or reflection))	USPAT
8	BRS	L8	77	6 and (polarization or polarisation)	USPAT
9	BRS	L9	46	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((polarization or polarisation) near2 (reflect or reflecting or reflected or reflects or reflection)) and (rotate or rotates or rotating or rotated or rotation) near3 ((dependent or adjust or tune or "can be" or alter))	USPAT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
1	2003/06/23 09:19			0
2	2003/06/23 09:20			0
3	2003/06/23 09:20			0
4	2003/06/23 09:22			0
5	2003/06/23 09:23			0
6	2003/06/23 09:25			0
7	2003/06/23 09:36			0
8	2003/06/23 09:26			0
9	2003/06/23 09:33			0